

Gigaset P810 IP PRO & Gigaset P810B IP PRO

The professional IP desk phone for every workplace

Highlights:

- 3.36" (320x240) color TFT display
- 4 (12) configurable self-labeling multicolor LED keys
- 1 USB port
- Bluetooth interface (P810B IP PRO only)
- Elegant design
- P800 KEY PRO Expansion Module ready
- 2-port Gigabit Ethernet switch (RJ45) with Power over Ethernet (PoE) functionality



The Gigaset P810 IP PRO and Gigaset P810B IP PRO come with a lot of useful business functions, offer excellent HD audio quality and 4 freely programmable LED function keys. The integrated Bluetooth 5.2 interface of P810B IP PRO allows you to conveniently operate cordless headsets. The Gigabit switch with PoE support rounds up the feature set. Thanks to its elegant and compact design it perfectly fits onto every desk. With the P810 IP PRO and P810B IP PRO Gigaset enables the perfect entry into the world of modern IP telephony.

Elegant and compact design

The elegant yet slim design in gunmetal look makes the Gigaset P810 IP PRO and Gigaset P810B IP PRO an eye-catcher in every office environment. The phone is compact in size and can be easily fitted on your desk.

Self-labelling function keys

Using the 4 programmable function keys, you can easily customize your desk phone to suit your personal needs. Perform common tasks and all needed and important functions quickly and conveniently at the touch of a button.

Excellent sound quality

The Gigaset P810 IP PRO and Gigaset P810B IP PRO deliver the highest audio quality. They are equipped with HD audio and on top of that work with advanced noise reduction. Which means you can always hear your conversation partner clearly, even in noisy environments. Additionally the device is hearing aid compatible.

Gigaset

Technical Specifications

Audio	Codecs	- G.711 A-law, u-law - G.722 (wideband) - G.723, G.726, G.729ab, GSM 6.10 (FR)
	Ringtones	Built-in assignable ringtones
	Other features	- Comfort noise generator (CNG) - Voice activity detection (VAD)

Display	Size (inch)	3.36"
	Resolution	320 x 240 pixel
	Type	TFT color display

Keyboard	Keys	4 context sensitive keys
	Keys	4 programmable line / function keys with multicolor LEDs
	Keys	Dedicated keys for: Message, transfer, hold, redial
	Keys	Audio keys with LED indication: Mute, speakerphone, headset
	Keys	Volume key
	Keys	5-way navigation key
	Keys	Cancel key

Network specifications	Configuration	- SIP (RFC3261) - DHCP, NTP - HTTP / HTTPS / TFTP - HTTPS server / client - Transport layer security (TLS) - SRTP (RFC3711), SIPS, RTCP 802.1X Authentication and EAPOL - VPN support - LLDP-MED, RTCP-XR - Password-protected web interface
	IP	- Dual Stack IPv4 / IPv6 - VLAN (IEEE 802.1Q)
	Provisioning	- Automatic loading of settings via HTTP / HTTPS / TFTP - DHCP Options 66/67 - Gigaset Redirect and Provisioning Environment (GRAPE) support - Remote management via TR-069 / TR-111 - Configurable through web interface

Connectivity	LAN connection	2x RJ45-8P8C Gigabit Ethernet ports - Power over Ethernet (PoE) - IEEE 802.3af, class 2 / IEEE 802.3az (optional via software)
	Bluetooth connection	Bluetooth 5.2 (P810B IP PRO only)
	Headset connection	4P4C; support for Gigaset EHS Adapter (optional accessory)
	USB connection	1x USB 2.0 host port, Type A, Hi / Full / Low-speed
	Handset	Hearing aid compatible (HAC) handset
	Interoperability	Interoperable with all major IP PBX platforms

Phonebook	Contacts	- LDAP (Directory) - XML browser
	Address book	Local directory with 1000 entries

Telephony	VoIP	12 SIP identities / accounts
	Call groups	3-way conferencing on the phone
	Localization	Language, time, dial tone
	Other features	- Menu-driven user interface - Multiple language support
Dial functions	Functions	- Call forwarding - Caller identification - Call waiting - Call lists for dialed, received, missed calls - Call completion (busy / unreachable) (if supported by PBX) - Call park, call unpark (if supported by PBX) - Speed dialing - Hold - Music on hold (if supported by PBX) - Automatic redial on busy - Auto-answer - Blind and attended transfer - Extension monitoring, call pickup (if supported by PBX) - Multicast paging - URL dialing - Local dial plan - Client matter code (CMC) (if supported by PBX)
	Dialing procedure	DTMF in-band / out-of-band / SIP-INFO
Call protection	Blocking list	- Call blocking (deny list) - DND mode (do not disturb)
	Dial lock	Keyboard lock
Signaling & display indications	Incoming calls	Red LED for call indication / message waiting
Power	Power supply	PoE or 5Vdc power adapter (optional accessory), 10 Watts
	Input voltage	5V DC (SELV)
Dimensions & weights	Desk phone	- Without foot stand: 210 mm x 199 mm x 45 mm - With foot stand: 193 mm x 199 mm x 158 mm - Weight (approximately): 890 g (with footstand)
Ordering information	Color	Gunmetal Black
Environmental conditions	Ambient temperature	0°C to 35°C (32°F to 95°F)
	Storage temperature	-10°C to 45°C (14°F to 113°F)
	Humidity	5% to 95% (non-condensing)
Accessories	Key module	Gigaset P800 KEY PRO for additional freely programmable function keys
	EHS adapter	Gigaset EHS Adapter
	Power adapter	Gigaset 5Vdc power adapter
Scope of delivery	1x	Desk phone
	1x	Foot stand
	1x	Handset with cord

	1x	• Quick Start Guide
--	----	---

Datasheet	11.03.2025
Version	
