


MAXHUB Commercial Display


Model: UW92NA

Elevate collaboration and productivity with the 92-inch Ultra-Wide 5K Display. Its panoramic viewing angle, large size, and stunning definition seamlessly integrate into any setting. Every minute of attention paid to this ultra-wide, high-definition display results in more expansive communication and a more profound impression on the viewer.




Professional 5K Display

5K Resolution, 500 nits brightness
Anti-Glare, 25% Haze



Wireless Screen Sharing

Share your screen through MAXHUB
Share app or wireless dongle




External Control

Display control through IP
or RS232 protocol




Device Management

Manage through cloud based
MAXHUB Pivot



Built-in Speakers

2x20W+20W speaker
2.1 sound channel



Upgrade Your Display

OPS slot availability to transform your
display into a windows-based display



24/7 Operation

Reliable display performance
with landscape and portrait modes



BYOM Anytime

Embrace drive-free efficiency enabled
by MAXHUB BYOM (Bring Your Own
Meeting) technology

Display		
Model	UW92NA	
Screen Size (Inch)	92	
Aspect Ratio	21:9	
Panel	VA	
Backlight	DLED	
Brightness (Typ.)	500 nits	
Brightness (Max.)	600 nits	
Haze	25%	
Resolution	5120 × 2160	
Refresh Rate	60 Hz	
Contrast Ratio	5000:1 (typ.)	
	1,000,000:1 (dynamic)	
Viewing Angle (H × V)	178° / 178°	
Color Gamut	72% NTSC	
Display Orientation	Landscape / Portrait	
Response Time	6.5 ms	
Life Time (50%)	>50,000 hours	
Display Color	1.07B	
Pixel Pitch	0.13945 (H) × 0.41835 (V) mm	
Display Area	2141.952 (H) × 903.636 (V) mm	

Built-in System		
Operating System	Android 13.0	
CPU	A76 × 4 + A55 × 4	
GPU	Mali-G610 MP4	
RAM	8 GB	
ROM	64 GB	

Connectivity		
Input		
HDMI IN × 4	3 × Up to 4K@60Hz, HDCP 2.3, CEC 1 × UP to 5K@60Hz	
USB 2.0 × 1	For system upgrades	
USB 3.0 × 4	2 × Onboard, 2 × Top	
USB Type-C × 1	Up to PD 20V 5A Video, Audio, Touch, Charge, LAN Network Sharing	
DP IN × 1	5K@60hz HDCP 1.4&2.3	
AUDIO IN × 1	3.5mm Jack	
RS232 × 1	Baud rate 9600	
RJ45 IN × 1	10M / 100M / 1000Mbps	
Output		
HDMI OUT × 1	Up to 4K@60Hz	
TOUCH 2.0 × 3	USB2.0 Type B	
AUDIO OUT × 1	3.5mm Jack	
SPDIF × 1	PCM output format	
RJ45 OUT × 1	10M / 100M / 1000Mbps	
OPS Slot	Module slot × 1	
Wi-Fi Slot	Module slot × 1	
Wi-Fi	Wi-Fi 6 supported 802.11ac/b/g/n/a/ax, 2.4GHz/5GHz	
Bluetooth	5.2	

Audio		
Sound Channel	2.1	
Speaker Power	2 × 20W + 20W	

Feature	
System OS	MAXHUB Meeting OS
Screen Share	MAXHUB Share Support BYOM / Miracast / Airplay / Chromecast
Device Management	MAXHUB Pivot
Protocol Control	RS232 / IP control
Special Features	Screen rotation / Auto input change / Play via URL / Wake on LAN / HDMI CEC / Compatible with control systems (Crestron, Q-SYS, and Extron)

Accessory	
Power Cord	3m × 1
HDMI Cable	3m × 1
Remote Control	× 1
Wall Mount	WIB9080A
Wireless Adapter	SI07B

Physical Specification	
Dimension (W × H × D)	2182 × 944 × 85 mm / 85.90 × 37.16 × 3.35 inch
Shipping Dimension (W × H × D)	2360 × 1072 × 225 mm / 92.91 × 42.20 × 8.86 inch
Thickness of machine and wall mount	110.2 mm / 4.34 inch (WIB9080A)
Wall-hanging Screw Spec	M8 × 25 mm
VESA	800 × 600 mm
Net Weight	43.40 Kg / 95.68 Pounds
Gross Weight	62.60 Kg / 138.01 Pounds

Environmental Conditions	
Operating Temperature	0°C~40°C
Storage Temperature	-20°C~60°C
Operating Humidity	10%~90%RH
Storage Humidity	10%~90%RH
Altitude	Below 5000 meters

Power	
AC Input	100~240V~50/60Hz, 8.0A
AC Output	100~240V~50/60HZ MAX 250W
Standby Power	≤ 0.5 W
Power Consumption (Typ.)	320W
Power Consumption (Max.)	530 W

Certification	
Environment	Energy Star
IP Rating	IP5X

Warranty	
Display	3 years warranty

Optional Module		
		
OPS (OPS72A)	Mobile Stand (ST41B)	Mobile Stand (ST32C)

Statement
Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance.Should the above-mentioned change in the document become necessary, the document may be updated without written notice.

MAXHUB

Beyond Collaboration



www.maxhub.com/en/



sales@maxhub.com



<https://www.youtube.com/c/MAXHUB>



<https://www.facebook.com/MAXHUB.Global>



<https://www.linkedin.com/company/maxhub-overseas/>