



IMPACT 1000 Series

- On-ear Bluetooth® headset with adaptive ANC and industry-leading voice pickup
- Get your message across through adaptive microphone technology powered by EPOS AI™
- Protect your brain in noisy open office environments with hybrid adaptive ANC
- Enjoy a superior headset with super wideband and stereo sound
- Wear all day thanks to lightweight design, soft cushions, and headband padding
- Experience true convenience with a wireless charging stand and smart features

Design	Wearing style	Headband; Stereo and mono variants	
	Ear coupling	On-ear	
	Ear pad material	Leatherette	
	Color	Black	
Smart features	LED features and functions	Call control on headset, 360-degree busylight, mute LED on boom arm	
	Boom arm features	Flexible, 270 degrees rotation for left and right wearing. Lift to mute, answer calls	
	Wearing detection	Accept calls, mute, pause and resume media	
	Charge stand	Wireless charging (variant depending)	
Connectivity	Connectivity	Bluetooth®, USB-C to USB-C cable, USB-A dongle	
•	Bluetooth® version	5.3	
	Bluetooth® profiles	HSP 1.2, HFP 1.8, A2DP 1.3.2, AVRCP 1.6.2	
	Audio codecs supported	SBC, AAC	
	Operating range (Bluetooth)	Up to 30 m 98 ft	
	Paired devices	Up to 8 Bluetooth® devices	
	Simultaneous Bluetooth connections	3	
Battery	Battery type	Rechargeable lithium-pol battery	
•	Battery capacity	580 mAh	
	Music time ANC off	Up to 55 hours	
	Music time with ANC	Up to 32 hours	
	Talk time*	Up to 20 hours	
	Corded charging	USB-C	
	Power via USB cable	5V max 670mA	
	Charging time	With cable: 1.5 hours Wireless charging: 2.5 hours	
	Fast charge	10 minutes gives up to 90 minutes	
	*Based on industry standard test conducted in listening mode with ANC off and single connection to mobile		
Microphone	Microphone noise cancelling	Ultra noise cancelling	
	Environmental noise cancellation (ENC)	Al based noise reduction	
	Number of microphones	6	
	Microphones for voice pick-up	3 (ANC variants 4)	
	Microphone pick up pattern	Adaptive beamforming	
	Microphone technology	Digital MEMS	
	Frequency response	100 Hz - 16 KHz super wideband	
	Sensitivity	-17 dBFS/Pa @1kHz	

Active noise cancellation (AMC)	Speaker	Acoustical principle	Dynamic closed	
Bandwidth (speak mode)	•	Active noise cancellation (ANC)	Hybrid adaptive and manual mode in 3 levels	
Bandwidth (music mode) 20 Hz - 20 KHz Music quality		Passive damping (ANC off)	-16 dB	
Sensitivity Max sound pressure 109 dB SR-@ 11 Hz		Bandwidth (speak mode)	100 Hz - 16 KHz Super wideband	
Max sound pressure 109 dB SPL		Bandwidth (music mode)	20 Hz - 20 KHz Music quality	
Total harmonic distortion rimpedance 20 ohm rimpedance 30 mm		Sensitivity	111 +/- 3 dB @ 1 kHz, 1 mW	
Impedance 20 ohm		Max sound pressure	109 dB SPL @ 1 kHz	
Size User hearing protection EPOS ActiveGard*, EU Noise at Work limiter, Australia G616 Acoustic Safety Yes, 3 lives's Stereo with ANC. 181 g 6.38 oz Stereo: 171 g 6.03 oz Mono: 174 g 1.02 oz Mono: 174 g Mono: 65 x 177 x 179 mm 2.59 x 6.96 x 7.04 in Stereo: 66 x 176 x 178 mm 2.59 x 6.92 x 7.00 in Mono: 65 x 177 x 179 mm 2.59 x		Total harmonic distortion	< 0,2 % @ 1 kHz	
User hearing protection Talk through Yes, 3 levels		Impedance	20 ohm	
Talk through Yes, 3 levels		Size	36 mm	
Weight Headset weight Stereo: 171 g 6.03 or Mono: 181 g 6.38 or Stereo: 171 g 6.03 or Mono: 181 g 6.03 or Mono: 191 g		User hearing protection	EPOS ActiveGard®, EU Noise at Work limiter, Australia G616 Acoustic Safety	
Stereo: 171 g 6.03 oz Mono: 114 g 4.02 oz Mono: 6x 177x 179 mm 2.59 x 6.92 x 7.04 in Stereo: 66 x 176 x 78 mm 12.59 x 6.92 x 7.00 in Mono: 66 x 176 x 78 mm 12.59 x 6.92 x 7.00 in Mono: 66 x 176 x 78 mm 12.59 x 6.92 x 7.00 in Mono: 66 x 176 x 78 mm 12.59 x 6.92 x 7.00 in Mono: 66 x 176 x 78 mm 12.59 x 6.92 x 7.00 in Mono: 66 x 176 x 18 mm 12.59 x 6.92 x 7.00 in Mono: 66 x 18 x 18 mm 12.59 x 6.92 x 7.00 in Mono: 66 x 18 x		Talk through	Yes, 3 levels	
Serec. 66 x 176 x 178 mm 2.59 x 6.92 x 700 in Farcups (D) USB cable length Length boom arm USB cable length EPOS devices can be managed with following software solutions: EPOS Connect desktop app EPOS Connect desktop app EPOS Connect fereware for Windows and Mac. Conduct firmware updates and configure headsets for personal audio preferences: eposaudio.com/software-epos-connect EPOS Connect for thin clients EPOS Connect for web EPOS Connect for web EPOS Connect for web A web-based solution to conduct firmware updates and configure headsets for personal audio preferences: eposaudio.com/software-epos-connect EPOS Connect for web A web-based solution to conduct firmware updates and configure headsets for personal audio preferences. EPOS Manager EPOS Manager Extended info Warranty 2 years Operating temperature -10°C - 60°C Storage temperature -10°C - 60°C Adas J 11.439 oz Master carton weight Master carton dimensions (LWWH) Master carton dimensions (LWWH) 432 x 313 x 257 mm 179 x 7.99 x 2.24 in Master carton dimensions (LWWH) 432 x 313 x 257 mm 177 x 12.32 x 10.11 in	Weight	Headset weight	Stereo: 171 g 6.03 oz	
Length boom arm 136 mm 15.35 in USB cable length 120 cm 47.24 in	Dimensions	Headset (LxWxH)		
Software & Apps EPOS devices can be managed with following software solutions: EPOS Connect desktop app EPOS Connect freeware for Windows and Mac. Conduct firmware updates and configure headsets for personal audio preferences: eposaudio.com/software-epos-connect EPOS Connect mobile app Compatible with most iOS and Android systems and available in 7 languages including English, French, German, Spanish, Japanese, Korean and Simplified Chinese. EPOS Connect for thin clients EPOS Connect for web EPOS Connect for web A web-based solution to conduct firmware updates and configure headsets for personal audio preferences: EPOS Manager Manage, update and configure EPOS audio devices from any location. For both cloud and on-premises solutions: eposaudio.com/software-epos-manager Extended info Warranty Operating temperature To*C - 50*C Storage temperature -10*C - 60*C Packaging weight Master carton weight Packaging dimensions (LxWxH) Master carton dimensions (LxWxH) Master carton dimensions (LxWxH) Master carton dimensions (LxWxH) Master carton dimensions (LxWxH) 432 x 313 x 257 mm 17 x 12.32 x 10.11 in		Earcups (D) USB cable length	74 mm 2.91 in	
EPOS devices can be managed with following software solutions: EPOS Connect desktop app EPOS Connect freeware for Windows and Mac. Conduct firmware updates and configure headsets for personal audio preferences; eposaudio.com/software-epos-connect EPOS Connect mobile app Compatible with most iOS and Android systems and available in 7 languages including English, French, German, Spanish, Japanese, Korean and Simplified Chinese. EPOS Connect for thin clients EPOS Connect for web A web-based solution to conduct firmware updates and configure headsets for personal audio preferences EPOS Manager BPOS Manager Manage, update and configure EPOS audio devices from any location. For both cloud and on-premises solutions: eposaudio.com/software-epos-manager Extended info Warranty Operating temperature Too'c - 60°C Packaging weight Master carton weight A880 g 172.13 oz Packaging dimensions (LxWxH) Master carton dimensions (LxWxH)		Length boom arm	136 mm 5.35 in	
EPOS Connect desktop app EPOS Connect freeware for Windows and Mac. Conduct firmware updates and configure headsets for personal audio preferences: eposaudio.com/software-epos-connect EPOS Connect mobile app Compatible with most iOS and Android systems and available in 7 languages including English, French, German, Spanish, Japanese, Korean and Simplified Chinese. EPOS Connect for thin clients EPOS Connect for web Awb-based solution to conduct firmware updates and configure headsets for personal audio preferences EPOS Manager Manage, update and configure EPOS audio devices from any location. For both cloud and on-premises solutions: eposaudio.com/software-epos-manager Extended info Warranty 2 years Operating temperature -10°C - 50°C Storage temperature -10°C - 60°C Packaging weight 408 g 14.39 oz Master carton weight Packaging dimensions (LxWxH) Master carton dimensions (LxWxH) A32 x 313 x 257 mm 779 x 759 x 2.24 in Master carton dimensions (LxWxH)		USB cable length	120 cm 47.24 in	
EPOS Connect desktop app EPOS Connect freeware for Windows and Mac. Conduct firmware updates and configure headsets for personal audio preferences: eposaudio.com/software-epos-connect EPOS Connect mobile app Compatible with most iOS and Android systems and available in 7 languages including English, French, German, Spanish, Japanese, Korean and Simplified Chinese. EPOS Connect for thin clients EPOS Connect for web Awb-based solution to conduct firmware updates and configure headsets for personal audio preferences EPOS Manager Manage, update and configure EPOS audio devices from any location. For both cloud and on-premises solutions: eposaudio.com/software-epos-manager Extended info Warranty 2 years Operating temperature -10°C - 50°C Storage temperature -10°C - 60°C Packaging weight 408 g 14.39 oz Master carton weight Packaging dimensions (LxWxH) Master carton dimensions (LxWxH) A32 x 313 x 257 mm 779 x 759 x 2.24 in Master carton dimensions (LxWxH)	Software & Apps	EPOS devices can be managed with following software:	solutions:	
EPOS Connect for thin clients EPOS Connect for web EPOS Connect for web EPOS Manager EPOS Manager Extended info Warranty Operating temperature Storage temperature Packaging weight Master carton weight Master carton dimensions (LxWxH) Master carton dimensions (LxWxH) EPOS Connect for thin clients Conduct firmware updates, supported by DellWyse, Linux, IGEL, eLux A web-based solution to conduct firmware updates and configure headsets for personal audio preferences Manage, update and configure EPOS audio devices from any location. For both cloud and on-premises solutions: eposaudio.com/software-epos-manager 2 years -10°C - 50°C -10°C - 60°C 4880 g 14.39 oz 4880 g 172.13 oz -203 x 203 x 57 mm 7.99 x 7.99 x 2.24 in Master carton dimensions (LxWxH) Master carton dimensions (LxWxH) 432 x 313 x 257 mm 17 x 12.32 x 10.11 in	continuite a rippe	EPOS Connect desktop app	configure headsets for personal audio preferences: eposaudio.com/software-	
EPOS Connect for web A web-based solution to conduct firmware updates and configure headsets for personal audio preferences EPOS Manager Manage, update and configure EPOS audio devices from any location. For both cloud and on-premises solutions: eposaudio.com/software-epos-manager Warranty Operating temperature Storage temperature Packaging weight Master carton weight Packaging dimensions (LxWxH) Master carton dimensions (LxWxH) Master carton dimensions (LxWxH) Master carton dimensions (LxWxH) Master carton dimensions (LxWxH) A web-based solution to conduct firmware updates and configure headsets for personal audio preferences Manage, update and configure EPOS audio devices from any location. For both cloud and on-premises solutions: eposaudio.com/software-epos-manager 2 years -10°C - 50°C -10°C - 60°C 408 g 14.39 oz 4880 g 172.13 oz Packaging dimensions (LxWxH) 482 x 313 x 257 mm 17 y 12.32 x 10.11 in		EPOS Connect mobile app	including English, French, German, Spanish, Japanese, Korean and Simplified	
EXTENDED IN THE PROPERTY OF TH		EPOS Connect for thin clients	Conduct firmware updates, supported by DellWyse, Linux, IGEL, eLux	
Extended info Warranty 2 years		EPOS Connect for web		
Operating temperature -10°C - 50°C Storage temperature -10°C - 60°C Packaging weight 408 g 14.39 oz Master carton weight 4880 g 172.13 oz Packaging dimensions (LxWxH) 203 x 203 x 57 mm 7.99 x 7.99 x 2.24 in Master carton dimensions (LxWxH) 432 x 313 x 257 mm 17 x 12.32 x 10.11 in		EPOS Manager	For both cloud and on-premises solutions:	
Storage temperature -10°C - 60°C Packaging weight 408 g 14.39 oz Master carton weight 4880 g 172.13 oz Packaging dimensions (LxWxH) 203 x 203 x 57 mm 7.99 x 7.99 x 2.24 in Master carton dimensions (LxWxH) 432 x 313 x 257 mm 17 x 12.32 x 10.11 in	Extended info	Warranty	2 years	
Packaging weight 408 g 14.39 oz Master carton weight 4880 g 172.13 oz Packaging dimensions (LxWxH) 203 x 203 x 57 mm 7.99 x 7.99 x 2.24 in Master carton dimensions (LxWxH) 432 x 313 x 257 mm 17 x 12.32 x 10.11 in		Operating temperature	-10°C - 50°C	
Master carton weight 4880 g 172.13 oz Packaging dimensions (LxWxH) 203 x 203 x 57 mm 7.99 x 7.99 x 2.24 in Master carton dimensions (LxWxH) 432 x 313 x 257 mm 17 x 12.32 x 10.11 in		Storage temperature	-10°C - 60°C	
Packaging dimensions (LxWxH) 203 x 203 x 57 mm 7.99 x 7.99 x 2.24 in Master carton dimensions (LxWxH) 432 x 313 x 257 mm 17 x 12.32 x 10.11 in		Packaging weight	408 g 14.39 oz	
Master carton dimensions (LxWxH) 432 x 313 x 257 mm 17 x 12.32 x 10.11 in		Master carton weight	4880 g 172.13 oz	
		Packaging dimensions (LxWxH)	203 x 203 x 57 mm 7.99 x 7.99 x 2.24 in	
Units per master carton: 10			<u></u>	
		Master carton dimensions (LxWxH)	432 x 313 x 257 mm 17 x 12.32 x 10.11 in	

Product information

Product	Whats in the box	Certifications and compliance	EAN code	UPC code
IMPACT 1061T ANC Art. no. 1001171	Stereo headset and wireless charging stand (CH 40), sustainable carry pouch, Bluetooth® USB dongle (BTD 800a), USB-C Cable (1.2m), Safety & Compliance sheet.	Certified for Microsoft Teams	57 14708 00975 7	8 40064 40975 9
IMPACT 1061T Art. no. 1001173	Stereo headset and wireless charging stand (CH 40), sustainable carry pouch, Bluetooth® USB dongle (BTD 800a), USB-C Cable (1.2m), Safety & Compliance sheet.	Certified for Microsoft Teams	57 14708 00977 1	8 40064 40977 3
IMPACT 1061 ANC Art. no. 1001131	Stereo headset and wireless charging stand (CH 40), sustainable carry pouch, Bluetooth® USB dongle (BTD 800a), USB-C Cable (1.2m), Safety & Compliance sheet.	Certified for Zoom, Google Meet, Google Voice, Webex by Cisco, Unify, RingCentral	57 14708 00933 7	8 40064 40933 9
IMPACT 1061 Art. no. 1001135	Stereo headset and wireless charging stand (CH 40), sustainable carry pouch, Bluetooth® USB dongle (BTD 800a), USB-C Cable (1.2m), Safety & Compliance sheet.	Certified for Zoom, Google Meet, Google Voice, Webex by Cisco, Unify, RingCentral	57 14708 00937 5	8 40064 40937 7
IIMPACT 1060T ANC Art. no. 1001136	Stereo headset, sustainable carry pouch, Bluetooth® USB dongle (BTD 800a), USB-C Cable (1.2m), Safety & Compliance sheet.	Certified for Microsoft Teams	57 14708 00938 2	8 40064 40938 4
IMPACT 1060T Art. no. 1001138	Stereo headset, sustainable carry pouch, Bluetooth® USB dongle (BTD 800a), USB-C Cable (1.2m), Safety & Compliance sheet.	Certified for Microsoft Teams	57 14708 00940 5	8 40064 40940 7
IMPACT 1060 ANC Art. no. 1001130	Stereo headset, sustainable carry pouch, Bluetooth® USB dongle (BTD 800a), USB-C Cable (1.2m), Safety & Compliance sheet.	Certified for Zoom, Google Meet, Google Voice, Webex by Cisco, Unify, RingCentral	57 14708 00932 0	8 40064 40932 2
IMPACT 1060 Art. no. 1001134	Stereo headset, sustainable carry pouch, Bluetooth® USB dongle (BTD 800a), USB-C Cable (1.2m), Safety & Compliance sheet.	Certified for Zoom, Google Meet, Google Voice, Webex by Cisco, Unify, RingCentral	57 14708 00936 8	8 40064 40936 O
IMPACT 1030T Art. no. 1001137	Mono headset, soft carry pouch, Bluetooth® USB dongle (BTD 800a), USB-C Cable (1.2m), Safety & Compliance sheet	Certified for Microsoft Teams	57 14708 00939 9	8 40064 40939 1
IMPACT 1030 Art. no. 1001132	Mono headset, soft carry pouch, Bluetooth® USB dongle (BTD 800a), USB-C Cable (1.2m), Safety & Compliance sheet	Certified for Zoom, Google Meet, Google Voice, Webex by Cisco, Unify, RingCentral	57 14708 00934 4	8 40064 40934 6

Spare parts	Description	EAN code	UPC code
IMPACT 800/1000 ANC ear pads Art. no. 1001289	Leatherette non-ANC ear pads - 2 pcs.	57 14708 01119 4	8 40064 41099 1
IMPACT 800/1000 ear pads Art. no. 1001290	Leatherette ANC ear pads - 2 pcs.	57 14708 O1120 O	8 40064 41100 4
CH 40 Art. no. 1001139	Wireless charging stand. Dimensions: 10 x 13.5 x 23 cm 3.93 x 5.31 x 9.05 in USB-C cable 1.2 m 0.39 ft	57 14708 00941 2	8 40064 40941 4
Spare battery 06 Art. no. 1001291	Spare battery IMPACT 1000	57 14708 01121 7	8 40064 41101 1
Replacement USB-C to USB-A Adapter Art. no. 1001474	Converts USB-C cables to connect to USB-A ports	57 14708 01295 5	8 40064 41274 2
Replacement cable Art. no. 1001489	USB-C to USB-C 1.2m	57 14708 01310 5	8 40064 41289 6
Headset Pouch 01 Art. no. 1001239	Headset Pouch Grey RPET Felt Material	57 14708 01046 3	8 40064 41046 5